EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	560	343/757.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 14:35
S78	2761	455/13.3.ccls or 455/19.ccls. or 455/25.ccls. or 455/562.1.ccls. or 455/575.7.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/12 16:43
S79	6	("20060212570"|"20060224434"|"5581694").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 10:25
S80	15	("6088665"|"6618745"|"6792321"|"6888453"|"6950778"|"7016812"|"7103511").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 10:27
S81	14	(("20060136627") or ("20040008140") or ("20030228857") or ("20030222818") or ("20030172221") or ("20020123864") or ("20020027504")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 10:28
S82	20	(("7165109") or ("6421354") or ("6640145") or ("6504829") or ("6208247") or ("20050021724") or ("20040090326") or ("20030151513") or ("20020161751") or ("20010027495")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 10:32
S83	8	(("20030222818") or ("20010027495") or ("20040008140") or ("20030228857")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 10:37

EAST Search History

S84	6	(("6208247") or ("6640145") or ("20030236866")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 10:37
S85	25010	mote	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 10:40
S86	120	S85 and directional adj2 antenna	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 10:53
S87	2	(mote and directional adj2 antenna).clm.	US-PGPUB; USPAT	OR	OFF	2007/09/13 10:54

Andrew Wendell 10813967

WEB Site
Mote
Smartdust is a network of tiny wireless microelectromechanical sensors (MEMS), robots, or devices, installed with wireless communications, that can detect anything from light and temperature, to vibrations, etc.
en.wikipedia.org/wiki/Mote

Scitech files

File 2:INSPEC 1898-2007/Mar W4
(c) 2007 Institution of Electrical Engineers
File 6:NTIS 1964-2007/Apr W1
(c) 2007 NTIS, Intl Cpyrght All Rights Res
File 8:Ei Compendex(R) 1884-2007/Mar W4
(c) 2007 Elsevier Eng. Info. Inc.
File 34:SciSearch(R) Cited Ref Sci 1990-2007/Apr W1
(c) 2007 The Thomson Corp
File 35:Dissertation Abs Online 1861-2007/Mar
(c) 2007 ProQuest Info&Learning
File 56:Computer and Information Systems Abstracts 1966-2007/Mar
(c) 2007 CSA.
File 57:Electronics & Communications Abstracts 1966-2007/Mar
(c) 2007 CSA.
File 65:Inside Conferences 1993-2007/Apr 05
(c) 2007 BLDSC all rts. reserv.
File 95:TEME-Technology & Management 1989-2007/Apr W1
(c) 2007 FIZ TECHNIK
File 99:Wilson Appl. Sci & Tech Abs 1983-2007/Mar
(c) 2007 The HW Wilson Co.
File 144:Pascal 1973-2007/Mar W4
(c) 2007 INIST/CNRS
File 239:Mathsci 1940-2007/May
(c) 2007 American Mathematical Society
File 256:TecInfoSource 82-2007/Oct
(c) 2007 Info.Sources Inc
File 434:SciSearch(R) Cited Ref Sci 1974-1989/Dec
(c) 2006 The Thomson Corp
File 583:Gale Group Globalbase(TM) 1986-2002/Dec 13
(c) 2002 The Gale Group
File 603:Newspaper Abstracts 1984-1988
(c)2001 ProQuest Info&Learning
File 483:Newspaper Abs Daily 1986-2007/Apr 05
(c) 2007 ProQuest Info&Learning

Set	Items	Description
S1	2177	MOTE
S2	3877	DIRECTIONAL()ANTENNA?
S3	0	AU=(TEGREENE, C? OR TEGREENE C?)
S4	7	S1 AND S2
S5	5	RD S4 (unique items)

5/3,K/1 (Item 1 from file: 2)
DIALOG(R)File 2:INSPEC
(c) 2007 Institution of Electrical Engineers. All rts. reserv.

10170046
Title: Topology insensitive location determination using independent estimates through semi- directional antennas
Author(s): Chin-Lung Yang; Bagchi, S.; Chappell, W.J.
Author Affiliation: Electr. & Comput. Eng. Dept., Purdue Univ., West Lafayette, IN, USA
Journal: IEEE Transactions on Antennas and Propagation vol.54, no.11, pt.2 p.3458-72
Publisher: IEEE,
Publication Date: Nov. 2006 Country of Publication: USA
CODEN: IETPAK ISSN: 0018-926X

SICI: 0018-926X(200611)54:11:2L.3458:TILD;1-L
Material Identity Number: I032-2006-013
Language: English
Subfile: B
Copyright 2006, The Institution of Engineering and Technology

Title: Topology insensitive location determination using independent estimates through semi- directional antennas
...Abstract: network. A method of determining the location of a target by using multiple compact semi- **directional antennas** is shown to give an independent estimate of location from each sensor **mote** in a network, each estimate not relying on the data from neighboring motes as in...

... traditional triangulation. We begin by demonstrating a method of using angular diversity through multiple semi- **directional antennas** in order to ascertain the location of a target. The estimation of both range and...

... a noisy and/or faded channel. An efficient and fast algorithm on a wireless sensor **mote** is presented through a Taylor series expansion of the simulated antenna pattern. Furthermore, using the...

5/3,K/2 (Item 2 from file: 2)
DIALOG(R)File 2:INSPEC
(c) 2007 Institution of Electrical Engineers. All rts. reserv.

09735042
Title: Location tracking with directional antennas **in wireless sensor networks**
Author(s): Chin-Lung Yang; Bagchi, S.; Chappell, W.J.
Author Affiliation: Dept. of Electr. & Comput. Eng., Purdue Univ., West Lafayette, IN, USA
Conference Title: 2005 IEEE MTT-S International Microwave Symposium (IEEE Cat. No.05CH37620C) p.4 pp.
Editor(s): Choudhury, D.
Publisher: IEEE, Piscatway, NJ, USA
Publication Date: 2005 Country of Publication: USA CD-ROM pp.
ISBN: 0 7803 8845 3 Material Identity Number: XX-2006-00060
U.S. Copyright Clearance Center Code: 0 7803 8845 3/2005/$20.00

Conference Title: 2005 IEEE MTT-S International Microwave Symposium
Conference Date: 12-17 June 2005 Conference Location: Long Beach, CA, USA
Language: English
Subfile: B
Copyright 2006, IEE

Title: Location tracking with directional antennas **in wireless sensor networks**
Abstract: In this paper, we investigate the use of multiple **directional antennas** on sensor motes for location determination and mobile node monitoring. One key aspect that distinguishes...

... propose and demonstrate a location estimation algorithm on a single sensor node equipped with inexpensive **directional antennas** by measuring the received signal strength of the transmission peers. This algorithm is further applied to the dynamic tracking of a wandering **mote** . The location tracking error can be reduced from 30% to 16% by using moving average...

...estimates can be obtained to provide the certainty of location tracking. Therefore, only a single **mote** with angular diverse multiple antennas is needed to determine the location of a **mote** without triangulation.
...Identifiers: multiple **directional antennas** ;

5/3,K/3 (Item 3 from file: 2)
DIALOG(R)File 2:INSPEC
(c) 2007 Institution of Electrical Engineers. All rts. reserv.

09598287 INSPEC Abstract Number: B2005-11-6250-245, C2005-11-5620W-166
Title: Location estimation in ad-hoc networks with directional antennas
Author(s): Malhotra, N.; Krasniewski, M.; Yang, C.; Bagchi, S.; Chappell, W.
Author Affiliation: Sch. of Electr. & Comput. Eng., Purdue Univ., West Lafayette, NJ, USA
Conference Title: 25th IEEE International Conference on Distributed Computing Systems p.633-42
Publisher: IEEE Comput. Soc, Los Alamitos, CA, USA
Publication Date: 2005 Country of Publication: USA xviii+827 pp.
ISBN: 0 7695 2331 5 Material Identity Number: XX-2005-00952
U.S. Copyright Clearance Center Code: 0 7695 2331 5/2005/$20.00
Conference Title: 25th IEEE International Conference on Distributed Computing Systems
Conference Sponsor: IEEE Comput. Soc. Tech. Comm. on Distributed Process. (TCDP)
Conference Date: 6-10 June 2005 Conference Location: Columbus, OH, USA
Language: English
Subfile: B C
Copyright 2005, IEE
Title: Location estimation in ad-hoc networks with directional antennas
...Abstract: sensor nodes using omnidirectional antennas. However, an increasing number of sensor systems are now deploying **directional antennas** due to their advantages like energy conservation and better bandwidth utilization. In this paper, we present techniques for location determination in a sensor network with **directional antennas** under different kinds of deployment of the nodes. We show how the location

estimation problem...

... the received signal strength from just one or two anchors in a 2D plane with **directional antennas** . We implement our technique using Berkeley MICA2 sensor motes and show that it is up...
...Identifiers: **directional antenna** ; ...

...Berkeley MICA2 sensor **mote** ;

5/3,K/4 (Item 1 from file: 8)
DIALOG(R)File 8:Ei Compendex(R)
(c) 2007 Elsevier Eng. Info. Inc. All rts. reserv.

11379399 E.I. No: EIP06491028444
Title: Topology insensitive location determination using independent estimates through semi- directional antennas
Author: Yang, Chin-Lung; Bagchi, Saurabh; Chappell, William J.
Corporate Source: Center for Wireless Systems and Applications Electrical and Computer Engineering Department Purdue University, West Lafayette, IN 47907, United States
Source: IEEE Transactions on Antennas and Propagation v 54 n 11 November 2006. p 3458-3472
Publication Year: 2006
CODEN: IETPAK ISSN: 0018-926X
DOI: 10.1109/TAP.2006.884294
Language: English

Title: Topology insensitive location determination using independent estimates through semi- directional antennas
...Abstract: network. A method of determining the location of a target by using multiple compact semi- **directional antennas** is shown to give an independent estimate of location from each sensor **mote** in a network, each estimate not relying on the data from neighboring motes as in...
...traditional triangulation. We begin by demonstrating a method of using angular diversity through multiple semi- **directional antennas** in order to ascertain the location of a target. The estimation of both range and...

...a noisy and/or faded channel. An efficient and fast algorithm on a wireless sensor **mote** is presented through a Taylor series expansion of the simulated antenna pattern. Furthermore, using the...
Identifiers: Semi- **directional antennas** ; Taylor series expansion; Location determination; Sensor networks

5/3,K/5 (Item 2 from file: 8)
DIALOG(R)File 8:Ei Compendex(R)
(c) 2007 Elsevier Eng. Info. Inc. All rts. reserv.

11260139 E.I. No: EIP06401015226
Title: Location tracking with directional antennas **in wireless sensor networks**
Author: Yang, Chin-Lung; Bagchi, Saurabh; Chappell, William J.
Corporate Source: Department of Electrical and Computer Engineering Purdue University, West Lafayette, IN 47907, United States
Conference Title: 2005 IEEE MTT-S International Microwave Symposium

Conference Location: Long Beach, CA, United States Conference Date: 20050612-20050617
E.I. Conference No.: 68262
Source: IEEE MTT-S International Microwave Symposium Digest 2005 IEEE MTT-S International Microwave Symposium Digest v 2005 2005. (IEEE cat n 05CH37620C)
Publication Year: 2005
CODEN: IMIDDM ISSN: 0149-645X
DOI: 10.1109/MWSYM.2005.1516540
Article Number: 1516540
Language: English

Title: Location tracking with directional antennas **in wireless sensor networks**
Abstract: In this paper, we investigate the use of multiple **directional antennas** on sensor motes for location determination and mobile node monitoring. One key aspect that distinguishes...

...propose and demonstrate a location estimation algorithm on a single sensor node equipped with inexpensive **directional antennas** by measuring the received signal strength of the transmission peers. This algorithm is further applied to the dynamic tracking of a wandering **mote** . The location tracking error can be reduced from 30% to 16% by using moving average...

...estimates can be obtained to provide the certainty of location tracking. Therefore, only a single **mote** with angular diverse multiple antennas is needed to determine the location of a **mote** without triangulation. copy 2005 IEEE. 4 Refs.
Identifiers: Location estimation; Sensor networks; **Directional antennas** ; Transmission peers
?

PATENT FILES

File 344:Chinese Patents Abs Jan 1985-2006/Jan
(c) 2006 European Patent Office
File 347:JAPIO Dec 1976-2006/Dec(Updated 070403)
(c) 2007 JPO & JAPIO
File 350:Derwent WPIX 1963-2006/UD=200722
(c) 2007 The Thomson Corporation

Set	Items	Description
S1	343	MOTE
S2	3899	DIRECTIONAL(3N)ANTENNA?
S3	4	S1 AND S2

3/3,K/1 (Item 1 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2007 The Thomson Corporation. All rts. reserv.

0015366496 - Drawing available
WPI ACC NO: 2005-747689/200576
Related WPI Acc No: 2005-711634; 2005-711635; 2005-712043; 2005-712660; 2005-733048; 2005-734077; 2005-747173; 2005-747648; 2005-747649;

2005-747650; 2005-747651; 2005-747652; 2005-747653; 2005-747654; 2005-747655; 2005-747681; 2005-747688; 2005-747690; 2005-747691; 2005-747692; 2005-747720; 2005-747746; 2005-747747; 2005-747748; 2005-758901
XRPX Acc No: N2005-616658
Mote **system in** mote **-appropriate network, includes** directional antenna **system such as beam-forming antenna system or beam-steering antenna system, coupled to antenna signal generation unit or antenna signal detection unit**
Patent Assignee: SEARETE LLC (SEAR-N)
Inventor: TEGREENE C T
Patent Family (1 patents, 107 countries)

Patent			Application			
Number	Kind	Date	Number	Kind	Date	Update
WO 2005099141	A2	20051020	WO 2005US10054	A	20050324	200576 B

Priority Applications (no., kind, date): US 2004816375 A 20040331; US 2004816364 A 20040331; US 2004816358 A 20040331; US 2004816102 A 20040331; US 2004816082 A 20040331; US 2004814454 A 20040331; US 2004813967 A 20040331

Patent Details

Number	Kind	Lan	Pg	Dwg	Filing Notes
WO 2005099141	A2	EN	52	18	

National Designated States,Original: AE AG AL AM AT AU AZ BA BB BG BR BW BY BZ CA CH CN CO CR CU CZ DE DK DM DZ EC EE EG ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NA NI NO NZ OM PG PH PL PT RO RU SC SD SE SG SK SL SM SY TJ TM TN TR TT TZ UA UG US UZ VC VN YU ZA ZM ZW
Regional Designated States,Original: AT BE BG BW CH CY CZ DE DK EA EE ES FI FR GB GH GM GR HU IE IS IT KE LS LT LU MC MW MZ NA NL OA PL PT RO SD SE SI SK SL SZ TR TZ UG ZM ZW

Mote **system in** mote **-appropriate network, includes** directional antenna **system such as beam-forming antenna system or beam-steering antenna system, coupled to antenna...**

Original Titles:
MOTE NETWORKS HAVING **DIRECTIONAL ANTENNAS**

Alerting Abstract ...NOVELTY - The **mote** system includes a **directional antenna** system such as beam-forming antenna system or beam-steering antenna system, coupled to antenna...
USE - **Mote** system including **mote** comprising coherent or non-coherent light transmitters, coherent or non-coherent light receivers, electrical/magnetic...

...transmitters/receivers, temperature transmitters/receivers, gas/liquid volume transmitters/receivers and inertial force transmitters/receivers, **directional antenna** system such as beam-forming antenna system, beam-steering antenna system, switched-beam antenna system...

...horn antenna or biconical antenna, attached to building, bridge, machine, rodent, birds or animals, in **mote** -appropriate network...

...ADVANTAGE - Realizes the **mote** system with efficient **directional**

antenna system...

...DESCRIPTION OF DRAWINGS - The figure shows an explanatory diagram of the motes connected through **mote** -appropriate network...

...218,268,258,278,288 **directional antennas**

Original Publication Data by Authority

Original Abstracts:
A mote network having and/ **or** using one or more directional antennas.

3/3,K/2 (Item 2 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2007 The Thomson Corporation. All rts. reserv.

0015366495 - Drawing available
WPI ACC NO: 2005-747688/200576
Related WPI Acc No: 2005-711634; 2005-711635; 2005-712043; 2005-712660; 2005-733048; 2005-734077; 2005-747173; 2005-747648; 2005-747649; 2005-747650; 2005-747651; 2005-747652; 2005-747653; 2005-747654; 2005-747655; 2005-747681; 2005-747689; 2005-747690; 2005-747691; 2005-747692; 2005-747720; 2005-747746; 2005-747747; 2005-747748; 2005-758901
XRPX Acc No: N2005-616657
Mote **method in** mote **-appropriate network, involves determining direction of antenna associated with** mote **, in response to monitored indicators of field strength of** directional antenna **of another** mote
Patent Assignee: SEARETE LLC (SEAR-N)
Inventor: TEGREENE C T
Patent Family (1 patents, 107 countries)

Patent			Application			
Number	Kind	Date	Number	Kind	Date	Update
WO 2005099140	A2	20051020	WO 2005US10053	A	20050324	200576 B

Priority Applications (no., kind, date): US 2004816375 A 20040331; US 2004816364 A 20040331; US 2004816358 A 20040331; US 2004816102 A 20040331; US 2004816082 A 20040331; US 2004814454 A 20040331; US 2004813967 A 20040331

Patent Details

Number	Kind	Lan	Pg	Dwg	Filing Notes
WO 2005099140	A2	EN	57	18	

National Designated States,Original: AE AG AL AM AT AU AZ BA BB BG BR BW BY BZ CA CH CN CO CR CU CZ DE DK DM DZ EC EE EG ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NA NI NO NZ OM PG PH PL PT RO RU SC SD SE SG SK SL SM SY TJ TM TN TR TT TZ UA UG US UZ VC VN YU ZA ZM ZW
Regional Designated States,Original: AT BE BG BW CH CY CZ DE DK EA EE ES FI FR GB GH GM GR HU IE IS IT KE LS LT LU MC MW MZ NA NL OA PL PT RO SD SE SI SK SL SZ TR TZ UG ZM ZW

Mote **method in** mote **-appropriate network, involves determining direction of antenna associated with** mote **, in response to monitored indicators of**

field strength of directional antenna **of another** mote

Original Titles:
MOTE NETWORKS USING **DIRECTIONAL ANTENNA** TECHNIQUES...

Alerting Abstract ...NOVELTY - The field of **directional antenna** in a **mote** is adjusted. The indicators of the received signal strength of the **directional antenna** in the **mote** , are monitored after adjusting the field of antenna. The direction of antenna associated with another **mote** is determined, in response to the monitored indicators of the field strength of the **directional antenna** of the **mote** . USE - In **mote** comprising coherent or non-coherent light transmitters, coherent or non-coherent light receivers, electrical/magnetic...

...and inertial force transmitters/receivers, attached to building, bridge, machine, rodent, birds or animals, in **mote** -appropriate network...

...ADVANTAGE - Enables easy and reliable determination of the direction of antenna in anther **mote** .
...

...DESCRIPTION OF DRAWINGS - The figure shows a flowchart explaining **mote** process.

Original Publication Data by Authority

Original Abstracts:
A mote network having and/ **or** using one or more directional antennas.

3/3,K/3 (Item 3 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2007 The Thomson Corporation. All rts. reserv.

0015365708 - Drawing available
WPI ACC NO: 2005-734077/200575
Related WPI Acc No: 2005-711634; 2005-711635; 2005-712043; 2005-712660; 2005-733048; 2005-747173; 2005-747648; 2005-747649; 2005-747650; 2005-747651; 2005-747652; 2005-747653; 2005-747654; 2005-747655; 2005-747681; 2005-747688; 2005-747689; 2005-747690; 2005-747691; 2005-747692; 2005-747720; 2005-747746; 2005-747747; 2005-747748; 2005-758901
XRPX Acc No: N2005-604354
Content index aggregating method in mote **-aggregating network, involves aggregating portions of** mote **-addressed content indexes from set of motes**
Patent Assignee: JUNG E K Y (JUNG-I); SEARETE LLC (SEAR-N); TEGREENE C T (TEGR-I)
Inventor: JUNG E K Y; TEGREENE C T
Patent Family (3 patents, 107 countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update
WO 2005094494	A2	20051013	WO 2005US9703	A	20050322	200575 B
US 20050233699	A1	20051020	US 2004813967	A	20040331	200575 E
US 20060079285	A1	20060413	US 2004816082	A	20040331	200626 E

Priority Applications (no., kind, date): US 2004816375 A 20040331; US

2004816364 A 20040331; US 2004816358 A 20040331; US 2004816102 A 20040331; US 2004816082 A 20040331; US 2004814454 A 20040331; US 2004813967 A 20040331

Patent Details
Number Kind Lan Pg Dwg Filing Notes
WO 2005094494 A2 EN 64 11
National Designated States,Original: AE AG AL AM AT AU AZ BA BB BG BR BW BY BZ CA CH CN CO CR CU CZ DE DK DM DZ EC EE EG ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NA NI NO NZ OM PG PH PL PT RO RU SC SD SE SG SK SL SM SY TJ TM TN TR TT TZ UA UG US UZ VC VN YU ZA ZM ZW
Regional Designated States,Original: AT BE BG BW CH CY CZ DE DK EA EE ES FI FR GB GH GM GR HU IE IS IT KE LS LT LU MC MW MZ NA NL OA PL PT RO SD SE SI SK SL SZ TR TZ UG ZM ZW

Content index aggregating method in mote **-aggregating network, involves aggregating portions of** mote **-addressed content indexes from set of motes**

Original Titles:
Mote networks having **directional antennas**
...

...Transmission of **mote** -associated index data...

...AGGREGATING **MOTE** -ASSOCIATED INDEX DATA

Alerting Abstract ...NOVELTY - The method involves aggregating portions of **mote** -addressed content indexes from a set of motes. Multi- **mote** content indexes are created for the set of motes.DESCRIPTION - The term " **mote** " typically means a semi-autonomous computing communications entities. An INDEPENDENT CLAIM is also included for...

...USE - For aggregating **mote** -addressed content indexes in **mote** -aggregating network...

...ADVANTAGE - The **mote** -addressed content indexes can be aggregated quickly...

...DESCRIPTION OF DRAWINGS - The figure shows a schematic view of the **mote** -aggregating network.

Original Publication Data by Authority

Original Abstracts:
A mote network having and/ **or** using one or more directional antennas.

...

...Methods and/or systems relating to mote networks having one or more indexes.

...

...to mote networks having one or more indexes.

Claims:
1. A mote system comprising:at **least** one of an antenna signal generation unit or an antenna signal detection unit; anda directional antenna system operably coupled with said at **least one** of an antenna signal generation unit or an antenna signal detection unit

3/3,K/4 (Item 4 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2007 The Thomson Corporation. All rts. reserv.

0015361775 - Drawing available
WPI ACC NO: 2005-712043/200573
Related WPI Acc No: 2005-711634; 2005-711635; 2005-712660; 2005-733048; 2005-734077; 2005-747173; 2005-747648; 2005-747649; 2005-747650; 2005-747651; 2005-747652; 2005-747653; 2005-747654; 2005-747655; 2005-747681; 2005-747688; 2005-747689; 2005-747690; 2005-747691; 2005-747692; 2005-747720; 2005-747746; 2005-747747; 2005-747748; 2005-758901
XRPX Acc No: N2005-584726
Mote **network providing method, involves moving field of regard such that field of regard of** mote directional antenna **is operably aligned with beam of other** mote directional antenna
Patent Assignee: SEARETE LLC (SEAR-N)
Inventor: TEGREENE C T
Patent Family (1 patents, 1 countries)

Patent			Application			
Number	Kind	Date	Number	Kind	Date	Update
US 20050221761	A1	20051006	US 2004814454	A	20040331	200573 B

Priority Applications (no., kind, date): US 2004814454 A 20040331
Patent Details

Number	Kind	Lan	Pg	Dwg	Filing Notes
US 20050221761	A1	EN	30	18	

Mote **network providing method, involves moving field of regard such that field of regard of** mote directional antenna **is operably aligned with beam of other** mote directional antenna

Original Titles:
Mote networks using **directional antenna** techniques

Alerting Abstract ...NOVELTY - The method involves adjusting a field of regard of a **mote** directional antenna . Indicators of a received signal strength of the antenna are monitored. A direction associated with another **mote directional antenna** is determined, in response to the indicators of the former antenna. Another field of regard...
DESCRIPTION - An INDEPENDENT CLAIM is also included for a **mote** system for adjusting a beam of a second- **mote directional antenna** .
...

...USE - Used for providing a networking **mote** .
...

...ADVANTAGE - The field of regard is moved such that the field of regard of the **directional antenna** is operably aligned with the beam of the other **directional antenna** , thus effectively receiving and transmitting a signal between the **directional antennas** . The method reduces time to align the antennas by monitoring levels, level changes and rates...

...DESCRIPTION OF DRAWINGS - The drawing shows a **mote** of a **mote** -appropriate network...

...100 **Mote**
...

...150 **Mote** -appropriate network

Original Publication Data by Authority

Original Abstracts:
A mote network having and/ **or** using one or more directional antennas.
Claims:
1. A mote method comprising:adjusting **a** field of regard of a first-mote directional antenna;monitoring one or **more indicators of** a received signal strength of the first-mote directional antenna; anddetermining a direction associated **with a second** mote in response to the monitored one or more indicators **of** the received signal strength of the first-mote directional antenna.
?

PATENTS FOREIGN

File 348:EUROPEAN PATENTS 1978-2007/ 200708
(c) 2007 European Patent Office
File 349:PCT FULLTEXT 1979-2007/UB=20070329UT=20070322
(c) 2007 WIPO/Thomson

Set	Items	Description
S1	2679	MOTE
S2	5257	DIRECTIONAL(3N)ANTENNA?
S3	14	S1(S)S2

3/3,K/1 (Item 1 from file: 348)
DIALOG(R)File 348:EUROPEAN PATENTS
(c) 2007 European Patent Office. All rts. reserv.

01994917
MOTE **NETWORKS USING** DIRECTIONAL ANTENNA **TECHNIQUES**
RESEAUX DE MOTES METTANT EN OEUVRE DES TECHNIQUES D'ANTENNES DIRECTIVES
PATENT ASSIGNEE:
Searete LLC., (7047570), 1756 - 114th Ave SE 110, Bellevue, WA 98004, (US), (Applicant designated States: all)

INVENTOR:
TEGREENE, Clarence, T., 10629 NE 17th Street, Bellevue, WA 98004-2834, (US)
PATENT (CC, No, Kind, Date):
WO 2005099140 051020
APPLICATION (CC, No, Date): EP 2005731395 050324; WO 2005US10053 050324
PRIORITY (CC, No, Date): US 816358 040331; US 813967 040331; US 816364 040331; US 816375 040331; US 816082 040331; US 816102 040331; US 814454 040331
DESIGNATED STATES: AT; BE; BG; CH; CY; CZ; DE; DK; EE; ES; FI; FR; GB; GR; HU; IE; IS; IT; LI; LT; LU; MC; NL; PL; PT; RO; SE; SI; SK; TR
EXTENDED DESIGNATED STATES: AL; BA; HR; LV; MK; YU
INTERNATIONAL PATENT CLASS (V7): H04J-003/22
LANGUAGE (Publication,Procedural,Application): English; English; English
MOTE **NETWORKS USING** DIRECTIONAL ANTENNA **TECHNIQUES**

3/3,K/2 (Item 2 from file: 348)
DIALOG(R)File 348:EUROPEAN PATENTS
(c) 2007 European Patent Office. All rts. reserv.

01994659
MOTE **NETWORKS HAVING** DIRECTIONAL ANTENNAS
RESEAUX DE MOTES POSSEDANT DES ANTENNES DIRECTIVES
PATENT ASSIGNEE:
Searete LLC., (7047570), 1756 - 114th Ave SE 110, Bellevue, WA 98004, (US), (Applicant designated States: all)
INVENTOR:
TEGREENE, Clarence T., 10629 NE 17th Street, Bellevue, WA 98004-2834, (US)
PATENT (CC, No, Kind, Date):
WO 2005099141 051020
APPLICATION (CC, No, Date): EP 2005730101 050324; WO 2005US10054 050324
PRIORITY (CC, No, Date): US 816082 040331; US 816358 040331; US 816364 040331; US 816375 040331; US 814454 040331; US 813967 040331; US 816102 040331
DESIGNATED STATES: AT; BE; BG; CH; CY; CZ; DE; DK; EE; ES; FI; FR; GB; GR; HU; IE; IS; IT; LI; LT; LU; MC; NL; PL; PT; RO; SE; SI; SK; TR
EXTENDED DESIGNATED STATES: AL; BA; HR; LV; MK; YU
INTERNATIONAL PATENT CLASS (V7): H04J-003/22
LANGUAGE (Publication,Procedural,Application): English; English; English
MOTE **NETWORKS HAVING** DIRECTIONAL ANTENNAS

3/3,K/3 (Item 1 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2007 WIPO/Thomson. All rts. reserv.

01291458 **Image available**
FREQUENCY REUSE TECHNIQUES IN MOTE-APPROPRIATE NETWORKS
TECHNIQUES DE REUTILISATION DES FREQUENCES DANS DES RESEAUX COMPATIBLES
AVEC DES CAPTEURS SANS FIL
Patent Applicant/Assignee:
SEARETE LLC, 1756 114th Ave SE #110, Bellevue, WA 98004, US, US (Residence), US (Nationality), (For all designated states except: US)

Patent Applicant/Inventor:
JUNG Edward K Y, 13420 NE 36th Street, Bellevue, WA 98005-1403, US, US (Residence), US (Nationality), (Designated only for: US)
TEGREENE Clarence T, 10629 NE 17th Street, Bellevue, WA 98004-2834, US, US (Residence), US (Nationality), (Designated only for: US)
Legal Representative:
COOK Dale R (agent), Searete LLC, 1756-114th Avenue SE, #110, Bellevue, WA 98004, US,
Patent and Priority Information (Country, Number, Date):
Patent: WO 200599037 A2 20051020 (WO 0599037)
Application: WO 2005US11203 20050330 (PCT/WO US05011203)
Priority Application: US 2004814454 20040331; US 2004816364 20040331; US 2004816102 20040331; US 2004816358 20040331; US 2004813967 20040331; US 2004816082 20040331; US 2004816375 20040331; US 2004844613 20040512; US 2004844614 20040512; US 2004844564 20040512; US 2004843987 20040512; US 2004844612 20040512; US 2004850914 20040521; US 2004877109 20040625; US 2004877099 20040625
Designated States:
(All protection types applied unless otherwise stated - for applications 2004+)
AE AG AL AM AT AU AZ BA BB BG BR BW BY BZ CA CH CN CO CR CU CZ DE DK DM DZ EC EE EG ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NA NI NO NZ OM PG PH PL PT RO RU SC SD SE SG SK SL SM SY TJ TM TN TR TT TZ UA UG US UZ VC VN YU ZA ZM ZW
(EP) AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IS IT LT LU MC NL PL PT RO SE SI SK TR
(OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG
(AP) BW GH GM KE LS MW MZ NA SD SL SZ TZ UG ZM ZW
(EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 29940

Fulltext Availability:
Detailed Description

Detailed Description
... Clarence T.

Tegreene as inventors, filed 31 March 2004.

11. United States patent application entitled **MOTE** NETWORKS HAVING **DIRECTIONAL ANTENNAS** , naming Clarence T. Tegreene as inventor, filed 31 March 2004.

12. United States patent application entitled MOTE NETWORKS USING **DIRECTIONAL ANTENNA** TECHNIQUES, naming Clarence T.

Tegreene as inventor, filed 31 March 2004.

13. United States patent...

3/3,K/4 (Item 2 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT

(c) 2007 WIPO/Thomson. All rts. reserv.

01291381 **Image available**
AGGREGATION AND RETRIEVAL OF NETWORK SENSOR DATA
AGREGATION ET EXTRACTION DE DONNEES DE CAPTEUR DE RESEAU
Patent Applicant/Assignee:
SEARETE LLC, 1756 114th SE, Suite 110, Bellevue, Washington 98004, US, US (Residence), US (Nationality), (For all designated states except: US)
Patent Applicant/Inventor:
JUNG Edward K Y, 13420 NE 36th Street, Bellevue, Washington 98005, US, US (Residence), US (Nationality), (Designated only for: US)
TEGREENE Clarence T, 10629 NE 17th Street, Bellevue, Washington 98004, US , US (Residence), US (Nationality), (Designated only for: US)
Legal Representative:
COOK Dale R (agent), Intellectual Ventures, 1756 114th SE, Suite 110, Bellevue, Washington 98004, US,
Patent and Priority Information (Country, Number, Date):
Patent: WO 200599036 A2 20051020 (WO 0599036)
Application: WO 2005US10955 20050329 (PCT/WO US05010955)
Priority Application: US 2004814454 20040331; US 2004816102 20040331; US 2004816375 20040331; US 2004816082 20040331; US 2004813967 20040331; US 2004816364 20040331; US 2004816358 20040331; US 2004844564 20040512; US 2004844612 20040512; US 2004843987 20040512; US 2004844614 20040512; US 2004844613 20040512; US 2004850914 20040521; US 2004877109 20040625; US 2004877099 20040625; US 2004882119 20040630; US 2004900163 20040727; US 2004900147 20040727; US 2004909200 20040730; US 2004903692 20040730; US 2004903652 20040730
Designated States:
(All protection types applied unless otherwise stated - for applications 2004+)
AE AG AL AM AT AU AZ BA BB BG BR BW BY BZ CA CH CN CO CR CU CZ DE DK DM DZ EC EE EG ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NA NI NO NZ OM PG PH PL PT RO RU SC SD SE SG SK SL SM SY TJ TM TN TR TT TZ UA UG US UZ VC VN YU ZA ZM ZW
(EP) AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IS IT LT LU MC NL PL PT RO SE SI SK TR
(OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG
(AP) BW GH GM KE LS MW MZ NA SD SL SZ TZ UG ZM ZW
(EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 21901

Fulltext Availability:
Detailed Description

Detailed Description
... 2004, attorney docket number 0 1 04-003 000000.

6. United States patent application entitled **MOTE** NETWORKS HAVING **DIRECTIONAL ANTENNAS** , naming Clarence T. Tegreene as inventor, filed 31 March 2004, attorney docket
number 0 1 04 006
7. United States patent application entitled **MOTE** NETWORKS USING **DIRECTIONAL ANTENNA** TECHNIQUES, naming Clarence T. Tegreene as

inventor, filed 31 March 2004,
1 5 attorney docket...

...May 2004, attorney
docket number 0104 008
9. United States patent application entitled TRANSMISSION OF **MOTE** -ASSOCIATED LOG DATA, naming Edward K.Y. Jung and Clarence T. Tegreene as inventors, filed...

...May
2004, attorney docket number 01 04 009
10. United States patent application entitled AGGREGATING **MOTE** -ASSOCIATED LOG DATA, naming Edward K.Y. Juno and Clarence T. Tegreene as inventors, filed...

...04-003 -0 I 0
2
1 - 'United States patent application entitled TRANSMISSION OF AGGREGATED **MOTE**
ASSOCIATED LOG DATA, naming Edward K.Y. Jung and Clarence T. Tegreene as inventors, filed 12 May 2004, attorney docket number 0104 011
12. United States patent application entitled FEDERATING **MOTE** -ASSOCIATED LOG DATA, naming Edward K.Y. Jung and Clarence T. Tegreene as inventors, filed 12 May
2004, attorney docket number 0104 012
1. United States patent application entitled USING **MOTE** -ASSOCIATED LOGS7naniing I 0 Edward K.Y. Jung and Clarence T. Tegreene as inventors, filed...

...2004, attorney
docket number 01 04 013
2. United States patent application entitled USING FEDERATED **MOTE** -ASSOCIATED LOGS, naming Edward K.Y. Jung and Clarence T. Tegree-ne as ixiventors, filed...

3/3,K/5 (Item 3 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2007 WIPO/Thomson. All rts. reserv.

01291380 **Image available**
DATA STORAGE FOR DISTRIBUTED SENSOR NETWORKS
STOCKAGE DE DONNEES DANS DES RESEAUX DE CAPTEURS REPARTIS
Patent Applicant/Assignee:
SEARETE LLC, 1756 114th SE, Suite 110, Bellevue, WA 98004, US, US (Residence), US (Nationality), (For all designated states except: US)
Patent Applicant/Inventor:
JUNG Edward K Y, 13420 NE 36th Street, Bellevue, WA 98005, US, US (Residence), US (Nationality), (Designated only for: US)
TEGREENE Clarence T, 10629 NE 17th Street, Bellevue, WA 98004, US, US (Residence), US (Nationality), (Designated only for: US)
Legal Representative:
COOK Dale R (agent), Intellectual Ventures, 1756 114th SE, Suite 110, Bellevue, WA 98004, US,
Patent and Priority Information (Country, Number, Date):
Patent: WO 200596746 A2 20051020 (WO 0596746)

Application: WO 2005US10954 20050329 (PCT/WO US05010954)
Priority Application: US 2004816364 20040331; US 2004816375 20040331; US 2004813967 20040331; US 2004814454 20040331; US 2004816358 20040331; US 2004816102 20040331; US 2004816082 20040331; US 2004844614 20040512; US 2004844612 20040512; US 2004844613 20040512; US 2004844564 20040512; US 2004843987 20040512; US 2004850914 20040521; US 2004877099 20040625; US 2004877109 20040625; US 2004882119 20040630; US 2004900147 20040727; US 2004900163 20040727; US 2004903692 20040730; US 2004903652 20040730; US 2004909200 20040730
Designated States:
(All protection types applied unless otherwise stated - for applications 2004+)
AE AG AL AM AT AU AZ BA BB BG BR BW BY BZ CA CH CN CO CR CU CZ DE DK DM DZ EC EE EG ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NA NI NO NZ OM PG PH PL PT RO RU SC SD SE SG SK SL SM SY TJ TM TN TR TT TZ UA UG US UZ VC VN YU ZA ZM ZW
(EP) AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IS IT LT LU MC NL PL PT RO SE SI SK TR
(OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG
(AP) BW GH GM KE LS MW MZ NA SD SL SZ TZ UG ZM ZW
(EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 22943

Fulltext Availability:
Detailed Description

Detailed Description
... an application incorporated by reference, the instant application controls.

1. United States patent application'entitled **MOTE** -ASSOCIATED INDEX CREATION, 1 5 naming Edward K.Y. Jung and Clare-nee T. Tegreene...

...number 0 1 04-003 -001
2. United States patent application entitled TRANS1
4ISSION OF **MOTE** -ASSOCIATED INDEX DATA, naming Edward K.Y. Jung and Clarence T. Tegreene as inventors, filed...

...March 2004, attorney docket number 01 04 002
3. United Stales patent application entitled AGGREGATING **MOTE** -ASSOCIATED INDEX DATA, naming Edward K.Y. Jung and Clarence T. Tegreene as inventors, filed...

...31 March 2004, attorney docket number 0104 004
. United States patent application entitled FEDEIZ-ATING **MOTE** -ASSOCIATED INDEX DATA, naming Edward K.Y. Jung and Clarenm T. Tegreene as inventors, filed 31 March 2004,attomeydoclcetnumberOI04 005 ,
6. United States patent application entitled **MOTE** NETWORKS HAVING **DIRECTIONAL ANTENNAS** , naming Clarence T. Tegreene as ixventor, filed 31 March 2004, attorney docket number 0 1 04 006
7. United States patent application entitled **MOTE** NETWORKS USING

DIRECTIONAL 1 0 **ANTENNA** TECHNIQUES, naming Clarence T. Xegreene as inventor, filed 31 March 2004,
attorney docket number 0104 007
8. United States patent application entitled **MOTE** -ASSOCIATED LOG CREATION, naming Edward K.Y. Jung and Clarence T. Tegreene as :inventors, filed...

3/3,K/6 (Item 4 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2007 WIPO/Thomson. All rts. reserv.

01291340 **Image available**
DISCOVERY OF OCCURRENCE-DATA
DECOUVERTE DE DONNEES D'OCCURRENCE
Patent Applicant/Assignee:
SEARETE LLC, 1756 114th SE, Suite 110, Bellevue, Washington 98004, US, US (Residence), US (Nationality), (For all designated states except: US)
Patent Applicant/Inventor:
JUNG Edward K Y, 13420 NE 36th Street, Bellevue, Washington 98005, US, US (Residence), US (Nationality), (Designated only for: US)
TEGREENE Clarence T, 10629 NE 17th Street, Bellevue, Washington 98004, US , US (Residence), US (Nationality), (Designated only for: US)
Legal Representative:
COOK Dale R (agent), Intellectual Ventures, 1756 114th SE, Suite 110, Bellevue, WA 98004, US,
Patent and Priority Information (Country, Number, Date):
Patent: WO 200599035 A2 20051020 (WO 0599035)
Application: WO 2005US10843 20050329 (PCT/WO US05010843)
Priority Application: US 2004814454 20040331; US 2004816102 20040331; US 2004816375 20040331; US 2004816082 20040331; US 2004813967 20040331; US 2004816364 20040331; US 2004816358 20040331; US 2004844564 20040512; US 2004844612 20040512; US 2004843987 20040512; US 2004844614 20040512; US 2004844613 20040512; US 2004850914 20040521; US 2004877109 20040625; US 2004877099 20040625; US 2004882119 20040630; US 2004900147 20040727; US 2004900163 20040727; US 2004903692 20040730; US 2004909200 20040730; US 2004903652 20040730
Designated States:
(All protection types applied unless otherwise stated - for applications 2004+)
AE AG AL AM AT AU AZ BA BB BG BR BW BY BZ CA CH CN CO CR CU CZ DE DK DM DZ EC EE EG ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NA NI NO NZ OM PG PH PL PT RO RU SC SD SE SG SK SL SM SY TJ TM TN TR TT TZ UA UG US UZ VC VN YU ZA ZM ZW
(EP) AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IS IT LT LU MC NL PL PT RO SE SI SK TR
(OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG
(AP) BW GH GM KE LS MW MZ NA SD SL SZ TZ UG ZM ZW
(EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 21016

Fulltext Availability:
Detailed Description

Detailed Description
... attorney docket number 0 1 04-003 000000.

3. United States patent application entitled AGGREGATING **MOTE** -ASSOCIATED INDEX DATA, naming Edward K.Y. Jung and Clarence T. Tegreene as inventors, filed...

...2004, attorney docket nuxnber 0 1 04 004
5. United States patent application entitled FEDERATING **MOTE** -ASSOCIATED INDEX DATA, naming Edward K.Y. Jung and Clarence T. Tegreene as inventors, filed 31 March
2004, attorney docket number 0104 005
6. United States patent application entitled **MOTE** NETWORKS HAVING **DIRECTIONAL ANTENNAS** , naming Clarence T. Teareene as inventor, filed:') I March 2004, attorney docket
number 0104 006
7. United States patent application entitled **MOTE** NETWORKS USING **DIRECTIONAL ANTENNA** TECHNIQUES, naming Clarence T. Tegreene as inventor, filed 3 1 March 2004,
attorney docket number 0 1 04 007
8. United States patent application entitled **MOTE** -ASSOCIATED LOG CREATION, naming Edward K.Y. Jung and Clarence T. Tegreene as inventors, filed...

3/3,K/7 (Item 5 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2007 WIPO/Thomson. All rts. reserv.

01291182 **Image available**
TRANSMISSION OF AGGREGATED MOTE-ASSOCIATED LOG DATA
TRANSMISSION DE DONNEES DE JOURNAUX D'EVENEMENT DE CAPTEURS SANS FIL
AGREGES
Patent Applicant/Assignee:
SEARETE LLC, 1756 114th Ave SE #110, Bellevue, WA 98004, US, US (Residence), US (Nationality), (For all designated states except: US)
Patent Applicant/Inventor:
JUNG Edward K Y, 13420 NE 36th Street, Bellevue, WA 98005-1403, US, US (Residence), US (Nationality), (Designated only for: US)
TEGREENE Clarence T, 10629 NE 17th Street, Bellevue, WA 98004-2834, US, US (Residence), US (Nationality), (Designated only for: US)
Legal Representative:
COOK Dale R (agent), Searete LLC, 1756-114th Avenue SE #110, Bellevue, WA 98004, US,
Patent and Priority Information (Country, Number, Date):
Patent: WO 200599034 A2 20051020 (WO 0599034)
Application: WO 2005US10253 20050328 (PCT/WO US05010253)
Priority Application: US 2004814454 20040331; US 2004816364 20040331; US 2004816102 20040331; US 2004816358 20040331; US 2004813967 20040331; US 2004816082 20040331; US 2004816375 20040331; US 2004844613 20040512; US 2004844614 20040512; US 2004844564 20040512; US 2004843987 20040512; US 2004844612 20040512
Designated States:
(All protection types applied unless otherwise stated - for applications

2004+)
AE AG AL AM AT AU AZ BA BB BG BR BW BY BZ CA CH CN CO CR CU CZ DE DK DM DZ EC EE EG ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NA NI NO NZ OM PG PH PL PT RO RU SC SD SE SG SK SL SM SY TJ TM TN TR TT TZ UA UG US UZ VC VN YU ZA ZM ZW
(EP) AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IS IT LT LU MC NL PL PT RO SE SI SK TR
(OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG
(AP) BW GH GM KE LS MW MZ NA SD SL SZ TZ UG ZM ZW
(EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 16869

Fulltext Availability:
Detailed Description
Detailed Description
... Clarence T.

Tegreene as inventors, filed 31 March 2004.

10. United States patent application entitled **MOTE** NETWORKS HAVING **DIRECTIONAL ANTENNAS** , naming Clarence T. Tegreene as inventor, filed 31 March 2004.

2.

. UnitedStatespatentapplicationentitledMOTE NETWORKS USING DIRECTIONAL...

3/3,K/8 (Item 6 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2007 WIPO/Thomson. All rts. reserv.

01291180 **Image available**
AGGREGATING MOTE-ASSOCIATED LOG DATA
AGREGATION DE JOURNAUX D'EVENEMENTS DE CAPTEURS SANS FIL
Patent Applicant/Assignee:
SEARETE LLC, 1756 114th Ave SE #110, Bellevue, WA 98004, US, US (Residence), US (Nationality), (For all designated states except: US)
Patent Applicant/Inventor:
JUNG Edward K Y, 13420 NE 36th Street, Bellevue, WA 98005-1403, US, US (Residence), US (Nationality), (Designated only for: US)
TEGREENE Clarence T, 10629 NE 17th Street, Bellevue, WA 98004-2834, US, US (Residence), US (Nationality), (Designated only for: US)
Legal Representative:
COOK Dale R (agent), Searete LLC, 1756-114th Avenue SE #110, Bellevue, WA 98004, US,
Patent and Priority Information (Country, Number, Date):
Patent: WO 200599033 A2 20051020 (WO 0599033)
Application: WO 2005US10251 20050328 (PCT/WO US05010251)
Priority Application: US 2004814454 20040331; US 2004816364 20040331; US 2004816102 20040331; US 2004816358 20040331; US 2004813967 20040331; US 2004816082 20040331; US 2004816375 20040331; US 2004844613 20040512; US

2004844614 20040512; US 2004844564 20040512; US 2004843987 20040512; US 2004844612 20040512
Designated States:
(All protection types applied unless otherwise stated - for applications 2004+)
AE AG AL AM AT AU AZ BA BB BG BR BW BY BZ CA CH CN CO CR CU CZ DE DK DM DZ EC EE EG ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NA NI NO NZ OM PG PH PL PT RO RU SC SD SE SG SK SL SM SY TJ TM TN TR TT TZ UA UG US UZ VC VN YU ZA ZM ZW
(EP) AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IS IT LT LU MC NL PL PT RO SE SI SK TR
(OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG
(AP) BW GH GM KE LS MW MZ NA SD SL SZ TZ UG ZM ZW
(EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 18009

Fulltext Availability:
Detailed Description

Detailed Description
... Clarence T.

Tegreene as inventors, filed 31 March 2004.

- 2
. United States patent application entitled **MOTE** NETWORKS HAVING **DIRECTIONAL ANTENNAS** , naming Clarence T. Tegreene as inventor, filed 31 March 2004.

11. UnitedStatespatentapplicationentitledMOTE NETWORKS USING DIRECTIONAL...

3/3,K/9 (Item 7 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2007 WIPO/Thomson. All rts. reserv.

01291179 **Image available**
FEDERATING MOTE-ASSOCIATED LOG DATA
FEDERATION DE JOURNAUX D'EVENEMENTS DE CAPTEURS SANS FIL
Patent Applicant/Assignee:
SEARETE LLC, 1756 114th Ave SE #110, Bellevue, WA 98004, US, US (Residence), US (Nationality), (For all designated states except: US)
Patent Applicant/Inventor:
JUNG Edward K Y, 13420 NE 36th Street, Bellevue, WA 98005-1403, US, US (Residence), US (Nationality), (Designated only for: US)
TEGREENE Clarence T, 10629 NE 17th Street, Bellevue, WA 98004-2834, US, US (Residence), US (Nationality), (Designated only for: US)
Legal Representative:
COOK Dale R (agent), Searete LLC, 1756-114th Avenue SE #110, Bellevue, WA 98004, US,
Patent and Priority Information (Country, Number, Date):
Patent: WO 200599032 A2 20051020 (WO 0599032)

Application: WO 2005US10250 20050328 (PCT/WO US05010250)
Priority Application: US 2004814454 20040331; US 2004816364 20040331; US 2004816102 20040331; US 2004816358 20040331; US 2004813967 20040331; US 2004816082 20040331; US 2004816375 20040331; US 2004844613 20040512; US 2004844614 20040512; US 2004844564 20040512; US 2004843987 20040512; US 2004844612 20040512
Designated States:
(All protection types applied unless otherwise stated - for applications 2004+)
AE AG AL AM AT AU AZ BA BB BG BR BW BY BZ CA CH CN CO CR CU CZ DE DK DM DZ EC EE EG ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NA NI NO NZ OM PG PH PL PT RO RU SC SD SE SG SK SL SM SY TJ TM TN TR TT TZ UA UG US UZ VC VN YU ZA ZM ZW
(EP) AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IS IT LT LU MC NL PL PT RO SE SI SK TR
(OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG
(AP) BW GH GM KE LS MW MZ NA SD SL SZ TZ UG ZM ZW
(EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 25940

Fulltext Availability:
Detailed Description

Detailed Description
... Clarence T.

Tegreene as inventors, filed 31 March 2004.

- 2
. United States patent application entitled **MOTE** NETWORKS HAVING **DIRECTIONAL ANTENNAS** , naming Clarence T. Tegreene as inventor, filed 31 March 2004.

11. UnitedStatespatentapplicationentitledMOTE NETWORKS USING DIRECTIONALANTENNATECHNIQUES...

3/3,K/10 (Item 8 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2007 WIPO/Thomson. All rts. reserv.

01291106 **Image available**
FEDERATING MOTE-ASSOCIATED INDEX DATA
FEDERATION DE DONNEES D'INDEX ASSOCIEES A UN CAPTEUR SANS FIL
Patent Applicant/Assignee:
SEARETE LLC, 1756 114th Ave SE #110, Bellevue, WA 98004, US, US (Residence), US (Nationality), (For all designated states except: US)
Patent Applicant/Inventor:
JUNG Edward K Y, 13420 NE 36th Street, Bellevue, WA 98005-1403, US, US (Residence), US (Nationality), (Designated only for: US)
TEGREENE Clarence T, 10629 NE 17th Street, Bellevue, WA 98004-2834, US, US (Residence), US (Nationality), (Designated only for: US)
Legal Representative:

COOK Dale R (agent), Searete LLC, 1756-114th Avenue SE, #110, Bellevue, WA 98004, US,
Patent and Priority Information (Country, Number, Date):
Patent: WO 200599142 A2 20051020 (WO 0599142)
Application: WO 2005US10059 20050324 (PCT/WO US05010059)
Priority Application: US 2004816358 20040331; US 2004816082 20040331; US 2004816364 20040331; US 2004816375 20040331; US 2004814454 20040331; US 2004816102 20040331; US 2004813967 20040331
Designated States:
(All protection types applied unless otherwise stated - for applications 2004+)
AE AG AL AM AT AU AZ BA BB BG BR BW BY BZ CA CH CN CO CR CU CZ DE DK DM DZ EC EE EG ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NA NI NO NZ OM PG PH PL PT RO RU SC SD SE SG SK SL SM SY TJ TM TN TR TT TZ UA UG US UZ VC VN YU ZA ZM ZW
(EP) AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IS IT LT LU MC NL PL PT RO SE SI SK TR
(OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG
(AP) BW GH GM KE LS MW MZ NA SD SL SZ TZ UG ZM ZW
(EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 25361

Fulltext Availability:
Detailed Description

Detailed Description
... Clarence T. Tegreene as inventors, filed substantially contemporaneously herewith.
5. United States patent application entitled **MOTE** NETWORKS HAVING **DIRECTIONAL ANTENNAS**, naming Clarence T. Tegreene as inventor, filed substantially contemporaneously herewith.

6. UnitedStatespatentapplicationentitledMOTE NETWORKS USING DIRECTIONAL...

3/3,K/11 (Item 9 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2007 WIPO/Thomson. All rts. reserv.

01291104 **Image available**
MOTE **NETWORKS HAVING** DIRECTIONAL ANTENNAS
RESEAUX DE MOTES POSSEDANT DES ANTENNES DIRECTIVES
Patent Applicant/Assignee:
SEARETE LLC, 1756 114th Ave SE #110, Bellevue, WA 98004, US, US (Residence), US (Nationality), (For all designated states except: US)
Patent Applicant/Inventor:
TEGREENE Clarence T, 10629 NE 17th Street, Bellevue, WA 98004-2834, US, US (Residence), US (Nationality), (Designated only for: US)
Legal Representative:
COOK Dale R (agent), Searete LLC, 1756-114th Avenue SE, #110, Bellevue, WA 98004, US,
Patent and Priority Information (Country, Number, Date):

Patent: WO 200599141 A2 20051020 (WO 0599141)
Application: WO 2005US10054 20050324 (PCT/WO US05010054)
Priority Application: US 2004816082 20040331; US 2004816358 20040331; US 2004816364 20040331; US 2004816375 20040331; US 2004814454 20040331; US 2004813967 20040331; US 2004816102 20040331
Designated States:
(All protection types applied unless otherwise stated - for applications 2004+)
AE AG AL AM AT AU AZ BA BB BG BR BW BY BZ CA CH CN CO CR CU CZ DE DK DM DZ EC EE EG ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NA NI NO NZ OM PG PH PL PT RO RU SC SD SE SG SK SL SM SY TJ TM TN TR TT TZ UA UG US UZ VC VN YU ZA ZM ZW
(EP) AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IS IT LT LU MC NL PL PT RO SE SI SK TR
(OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG
(AP) BW GH GM KE LS MW MZ NA SD SL SZ TZ UG ZM ZW

(EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 9394

MOTE **NETWORKS HAVING** DIRECTIONAL ANTENNAS
Fulltext Availability:
Detailed Description
Claims

English Abstract
A mote network having and/or using one or more **directional antennas**.
Detailed Description
Mote Networks Having **Directional Antennas**
CROSS-REFERENCE TO RELATED APPLICATIONS
The present application is related to, claims the earliest available...

...one of an antenna signal generation unit or an antenna signal detection unit; and a **directional antenna** system operably coupled with said at least one of an antenna signal generation unit or...

...of an antenna signal generation unit or an antenna signal detection unit, and (ii) a **directional antenna** system operably - 2 couplable with said at least one of an antenna signal generation unit...

Claim
... making includes but is not limited to: fori-ning a mote body; and emplacing a **directional antenna** proximate to the **mote** body. In addition to the foregoing, other method aspects are described in the claims, drawings, and/or text forming a part of the present application. In one aspect a **mote** method of making includes but is not limited to: emplacing a **directional antenna** proximate to a **mote** body; and integrating the **mote** body with at least one of an animate or inanimate unit. In addition to the...

...set forth herein. 3
BRIEF DESCRIPTION OF THE FIGURES
Figure I shows an example of **mote** 100 of **mote** -appropriate network 150

that may serve as a context for introducing one or more processes...

...partial exploded views of motes 200, 250, and 270 that form a part of a **mote** network. Figure 3 depicts a high-level logic flowchart of a process. Figure 4 illustrates...

...AND/OR SYSTEM(S)

With reference now to Figure 1, shown is an example of **mote** I 00 of moteappropriate network 150 that may serve as a context for introducing one or more processes and/or devices described herein. A **mote** is typically composed of sensors, actuators, computational entities, and/or communications entities formulated, in most cases at least in part, from a substrate. As used herein, the term " **mote** " typically means a semi-autonomous computing, coniniunication, and/or sensing device as described in the **mote** literature (e.g., Intel Corporation's **mote** literature), as well as equivalents recognized by those having skill in the art. **Mote** 1 00 depicts a specific example of a more general **mote** , **Mote** I 00 is illustrated as having antenna 102, physical layer 104, antenna entity 1 1 9, network layer 1 0 8 (shown for sake of example as a **mote** -appropriate ad hoe routing application), light device entity 1 1 0, electrical /magnetic device entity...

...unit 204 may perform either or both detection and generation), antenna control unit 206, omni- **directional antenna** 218, and **directional antennas** 208, 209; the other components of **mote** I 00 are also present in **mote** 200, but not explicitly shown for sake of clarity. The **directional antennas** described herein may be any suitable **directional antennas** consistent with the teachings herein, such as beam-forming antennas, beam-steering antennas, switched-beam antennas, horn antennas, and/or adaptive **antennas** . Although **directional antennas** 208, 209 are illustrated as horn antennas, those skilled in the art will appreciate that **directional antennas** 208, 209 are representative of any suitable device consistent with the teachings herein, such as...

...antennas, horn antennas, and/or biconical antennas. The foregoing is also generally true for other **directional antennas** described herein. In addition, the inventor points out that in some implementations the antenna steering...

...electro-mechanical system components; in some implementations, the antenna steering units may include electromagnetic systems. **Mote** 250 is illustrated as similar to **mote** 100 of **mote** appropriate network 150 (Figure 1), but with the addition of antenna steering unit 252, antenna signal generation/detection unit 254, antenna control unit 256, onmidirectional **antenna** 268, and **directional antennas** 258, 259. The other components of **mote** 100 are also present in **mote** 250, but not explicitly shown for sake of clarity. The components of **mote** 250 fimction in fashions similar to like components described in relation to **mote** 200 and/or elsewhere herein. **Mote** 270 is illustrated as similar to **mote** 1 00 of **mote** appropriate network 150 (Figure 1), but with the addition of antenna steering unit 252, antenna signal generation/detection unit 274, antenna control unit 276, omnidirectional **antenna** 278, and **directional antennas** 288, 289. The other components of **mote** 100 are also present in **mote** 270, but not explicitly shown for sake of clarity. The components of **mote** 270 - 8 function in fashions similar to like components described in relation to **mote** 200

and/or elsewhere herein. Those skilled in the art will appreciate that there are various ways in which the **directional antennas** may be combined with the motes. In some implementations, semiconductor processing techniques are utilized to form at least a part of each **mote** having one or more **directional antennas** . In some implementations, micro-electromechanical-system or electrooptical techniques are utilized to form or control at least a part of each **mote** having one or more **directional antennas** . In some implementations, circuit techniques and circuit board substrates are used to form at least a part of each **mote** having one or more **directional antennas** . In some implementations, various combinations of the herein described techniques are used to form at least a part of each **mote** having one or more **directional antennas** .

11 PROCESS(ES) AND/OR SCHEME(S)
Following are a series of flowcharts depicting implementations...

...the process. Method step 302 depicts adjusting a field of regard of a first-mote **directional antenna** . Method step 304 illustrates monitoring one or more indicators of received signal strength, signal-to-noise ratio, or 9 other signal characteristic, of the first-**mote directional antenna** . Method step 306 shows determining a direction associated with a second **mote** in response to the monitored one or more indicators of the received signal strength of the first- **mote directional antenna** . Method step 308 depicts adjusting the field of regard of the first- **mote directional antenna** to orient toward the determined direction associated with the second **mote** . Method step 3 1 0 depicts the end of the process. Specific example implementations of...

...shows moving the field of regard such that the field of regard of the first- **mote directional antenna** will likely operably align with a beam of a second- **mote directional antenna**. (By convention, "field of regard" is sometimes used herein when describing an example wherein an ...

...control unit 256 directs antenna steering unit 252 to sweep a field of regard of **directional antenna** 258 at a rate likely to be different from that of a rate of sweep of a beam of another **directional antenna** . For example, **antenna** control units 206, 256 directing their respective antenna steering units 202, 252 to sweep their respective **directional antennas** 208, 258 at rates which are likely to be different. One implementation of the foregoing...

...control wait 206, 256 to direct their respective antenna steering units 202, 252 to rotate **directional antennas** 208, 258 for a time period long enough such that **directional antenna** 208 completes 360 total rotations. - I 0 Referring now to Figure 5, illustrated is a...

...varied by a quasi-random amount from a nominal rate of rotation of the first- Imote directional antenna and the second- **mote directional antenna** . In one embodiment of method step 500, antenna control unit 256 directs antenna steering unit 252 to rotate a field of regard of **directional antenna** 258 at a rate of rotation varied by a quasi-random amount from a nominal rate of rotation shared by at least one other **mote** (as used herein, "nominal" generally means according to plan or design). For example, in, one...

...logic to vary that recalled nominal rate of rotation by some amount to devise a **mote** 250 resultant rate of rotation (e.g., 360 degrees/unit-time). Thereafter, antenna control unit 256 directs antenna steering unit 252 to rotate **directional antenna** 258 at the **mote** 250 resultant rate of rotation. At or around the same time, antenna control unit 202 engages in a similar set of operations to devise a **mote** 200 rate of rotation. Insofar as that the **mote** 200 rate of rotation and the **mote** 250 rate of rotation were devised by quasi-random variations on substantially the same nominal rates of rotation, it is likely that the **mote** 200 rate of rotation will be different than the **mote** 250 rate of rotation. Hence, eventually the field of regard of **directional antenna** 208 will operably align with the beam of **directional antenna** 258 such that signals may be respectively received/transmitted between the **directional antennas**. In some implementations, the **directional antennas** are rotated for a pre-specified period of time. In some implementations, the **directional antennas** are rotated until either a strong signal is detected or a timeout occurs. In one...

...control unit 256 directs antenna steering unit 252 to move a field of regard of **directional** antenna 258 through a series of angles at a rate of movement derived from random number...

...control unit 256 directs antenna steering unit 252 to move a field of regard of **directional antenna** 258 at some rate of rotation for a period of time derived from random number...

...steering unit 202 to selectively delay received signals such that a field of regard of **directional antenna** 208 is varied. Continuing to refer to Figure 6, shown is that in some implementations...

...one or more antenna elements. In some implementations of method step 600, such as where **directional antenna** 258 is implemented with discrete antenna elements (e.g., array antennas and/or Yagi antennas...

...of the signals of the discrete antenna elements to steer the field of regard of **directional antenna** 258 in a desired fashion (e.g., by numerical techniques and/or delay lines). Continuing...

...step 608. Method step 608 shows selectively displacing at least a part of the first- **mote directional antenna**. In some implementations of method step 608, such as instances where **directional antenna** 258 is implemented with a horn antenna or a biconical antenna, antenna steering unit 252...

...method step 302 includes method step 610. Method step 610 shows selectively tuning the first- **mote directional** antenna (e.g., via switchable tuning stubs). In some implementations of - 13 method step 61 0...

...switches in and out the various tuning stubs to direct the field of regard of
directional antenna 258
Referring now to Figure 7, illustrated is a high-level logic flowchart depicting an...

...700 shows logging one or more indicators of the received signal strength

of the first- **mote directional antenna** . In one embodiment of method step 700, antenna control unit 256 directs antenna signal generation...

...step 1002 depicts determining a direction of the - 15 field of regard of the first- **mote directional antenna** associated with the substantially maximum signal power. In one embodiment of method step 1 000...

...steering unit 252 to determine one or more locations along an are of movement of **directional antenna** 258 that correspond with the times at which the received signal strength of the beacon...

...the start of the process. Method step 1102 depicts adjusting a beam of a second- **mote directional antenna** . Method step 1 1 04 illustrates transmitting a signal over the beam of the second- **mote directional antenna** . Method step 1106 depicts the end of the process. Specific example implementations of the more...includes method step 1200. Method step 1200 shows selectively forming the beam of the second- **mote directional antenna** . In one embodiment of method step 1200, antenna control unit 206 directs antenna steering unit 202 to drive **directional antenna** 208 such that a beam is formed over one or more angular ranges. One example...

...includes method step 1202. Method step 1202 depicts selectively switching the beam of the second- **mote directional antenna** . In some implementations of method step 1202, antenna control unit 206 directs antenna steering unit 202 to switch elements of **directional antenna** 208 such that a beam is switched on across one or more angles. One example...

...includes method step 1204. Method step 1204 depicts selectively steering the beam of the second- **mote directional antenna** . In some implementations of method step 1204, antenna control unit 206 directs antenna steering unit 202 to selectively steer a beam of **directional antenna** 208 such that a beam is moved across one or more angles. One example of...

...includes method step 1206. Method step 1206 depicts selectively adapting the beam of the second- **mote directional antenna** . In some implementations of method step 1206, antenna control unit 206 directs antenna steering unit 202 to selectively adapt one or more beams of **directional antenna** 208 such that a beam is moved across one or more angles. One example of the foregoing could include selectively adapting the beam of the second- **mote directional antenna** . With reference again to Figures 3 and I 1, method step 302 of Figure 3...

...its supporting text, show and/or describe adjusting a field of regard of a first- **mote directional antenna** . Method step 1 1 02 of Figure 1 1, and its supporting text, illustrate - 17 and/or describe adjusting a beam of a second- **mote directional antenna** (e.g., **directional antenna** 208 of **mote** 200). Figures 4-6 show and/or describe several implementations of adjusting a field of regard of the first- **mote directional antenna** . The inventor points out that implementations substantially analogous to those shown for method step 302...

...herein will in general have a corresponding implementation by which the beam of a second- **mote directional antenna** is analogously adjusted.

Those having skill in the art will appreciate that insofar as that...
...that combines a known beacon signal with the carrier signal which is then transmitted from **directional antenna** 208. Those having ordinary skill of the art will appreciate that other signal generation techniques
...

...1502 depicts initiating at - 19 least one of said adjusting a beam of a second- **mote directional antenna** and/or said transmitting a signal over the beam of the second- **mote directional antenna** in response to said detecting the initiation signal. In one embodiment of method step 1500, antenna signal generation/detection unit 204 detects an incoming pre-defined seelc- **mote - antennas** signal over **directional antenna** 208. Signal generation/detection unit 204 informs antenna control unit 206 that the seekmote-antennas...

...signal and/or communicates with antenna steering unit 252 to begin adjusting a beam of **directional antenna** 208 as described herein (e.g., by moving the beam in an are or circle...

...of the process. Method step 1602 depicts adjusting a field of regard of a first- **mote directional antenna** in response to a direction associated with a second- **mote directional antenna** . Method step 1604 illustrates transmitting a signal from the first- **mote directional antenna** and/or receiving a signal from the first- **mote directional antenna** (e.g., transmitting the signal over a beam of the first- **mote directional antenna** and/or receiving the signal through a field of regard of the first- **mote directional antenna**). Method step 1606 depicts the end of the process. Specific example implementations of the more...

...embodiments method step 1602 includes method step 1700. Method step 1700 shows localizing the second- **mote directional antenna** . Specific example implementations of the more general process implementations of Figure 17 are described following...

...and thereafter use standard engineering practices to integrate such described devices and/or processes into **mote** processing systems. That is, at least a portion of the devices and/or processes described herein can be integrated into a **mote** processing system via a reasonable amount of experimentation. Those having skill in the art will recognize that a typical **mote** processing system generally includes one or more of a memory such as volatile and nonvolatile...

...or velocity; control motors for moving and/or adjusting components and/or quantities). A typical **mote** processing system may be implemented utilizing any suitable
available components, such as those typically found in **mote** -appropriate computing/coininunication systems, combined with standard engineering practices. Specific examples of such components entail commercially described components such
as Intel Corporation's **mote** components and supporting

hardware, software, and
firmware. - 23 The foregoing described aspects depict different components...

...one of an antenna signal generation unit or an antenna signal detection unit; and
a **directional antenna** system operably coupled with said at least one of an antenna signal generation unit or an antenna signal detection unit.

2 The mote system of Claim 1, wherein said **directional antenna** system operably coupled with said at least one of an antenna signal generation unit or...

...comprises:
a beam-forming antenna system.
3 The mote system of Claim 1, wherein said **directional antenna** system operably coupled with said at least one of an antenna signal generation unit or...

...comprises:
a beam-steering antenna system.

4 The mote system of Claim 1, wherein said **directional antenna** system operably coupled with said at least one of an antenna signal generation unit or...

...comprises:
a switched-beam antenna system.

5 The mote system of Claim 1, wherein said **directional antenna** system operably coupled with said at least one of an antenna signal generation unit or an antenna signal
detection unit further comprises:
a horn antenna system. 26 . The **mote** system of Claim 1, wherein said **directional antenna** system operably coupled with said at least one of an antenna signal generation unit or...
...one or more selected antenna patterns.

7 The mote system of Claim 1, wherein said **directional antenna** system operably coupled with said at least one of an antenna signal generation unit or...

...fixther comprises:
an adaptive-antenna system.

8 The mote system of Claim 1, wherein said **directional antenna** system operably coupled with said at least one of an antenna signal generation unit or...

...unit ftirther comprises:
a Yagi antenna.

9 The mote system of Claim 1, wherein said **directional antenna** system operably coupled with said at least one of an antenna signal generation unit or...

...fixther comprises:
a log-periodic antenna.
10 The mote system of Claim 1, wherein said **directional antenna** system

operably coupled with said at least one of an antenna signal generation unit or an antenna
signal detection unit further comprises:
a parabolic antenna.
I 1. The **mote** system of Claim 1, wherein said **directional antenna** system
operably coupled with said at least one of an antenna signal generation unit or an antenna
signal detection unit further comprises:
an array antenna. - 27
. The **mote** system of Claim 1, Wherein said **directional antenna** system
operably coupled with said at least one of an antenna signal generation unit or...

...unit further comprises:
a horn antenna.

13 The mote system of Claim 1, wherein said **directional antenna** system
operably coupled with said at least one of an antenna signal generation unit or...

...unit further comprises:
a biconical antenna.

14 The mote system of Claim 1, wherein said **directional antenna** system
operably coupled with said at least one of an antenna signal generation unit or...

...electromagnetic system.

18 The mote system of Claim 1, farther comprising:
a mote having said **directional antenna** system operably coupled with said at least one of an antenna signal generation unit or an antenna signal detection unit. 28
. The **mote** system of Claim 18, further comprising:
at least one of an animate or inanimate Unit in physical contact with said **mote** having said **directional antenna** system operably coupled with said at least one of an antenna signal generation unit or an antenna signal detection unit. 29
. A **mote** method of using comprising:
distributing a **mote** , the **mote** having
(i) at least one of an antenna signal generation unit or an antenna signal
detection unit, and
(H) a **directional antenna** system operably couplable with said at least one of an antenna signal generation unit or an antenna signal detection unit. 2 1. The **mote** method of Claim 20, wherein said distributing a **mote** further
comprises:
emplacing at least one of all animate or inanimate unit in physical contact with the **mote** .

22 The mote method of Claim 21, wherein said emplacing at least one of an

...

...mote. 30
. A mote method of making comprising:
forming- a mote body; and
emplacing a **directional antenna** proximate to the **mote** body.

25 The mote method of Claim 24, wherein said forming a mote body further
...

...body from a substrate.

26 The mote method of Claim 24, wherein said emplacing a **directional antenna**
proximate to the **mote** body further comprises:
forming at least a part of the **directional antenna** from a substrate.

27 The mote method of Claim 24, wherein said emplacing a **directional antenna**
proximate to the **mote** body further comprises:
affixing at least a part of the **directional antenna** to the **mote** body. 31
. A **mote** method comprising:
integrating a **directional antenna** proximate to a **mote** body with at least one of an animate or inanimate unit.

29 The mote method of Claim 28, wherein said integrating a **directional antenna** proximate to a **mote** body with at least one of an animate or inanimate unit ffirther
comprises:
at least one of affixing the **mote** body to or encasing the **mote** body in an inanimate structural component.

30 The mote method of Claim 28, wherein said integrating a **directional antenna** proximate to a **mote** body with at least one of an animate or inanimate unit ftu-ther
comprises:
at least one of affixing the **mote** body to or encasing the **mote** body in an animate structural component. 32

3/3,K/12 (Item 10 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2007 WIPO/Thomson. All rts. reserv.

01291103 **Image available**
MOTE **NETWORKS USING** DIRECTIONAL ANTENNA **TECHNIQUES**
RESEAUX DE MOTES METTANT EN OEUVRE DES TECHNIQUES D'ANTENNES DIRECTIVES
Patent Applicant/Assignee:
SEARETE LLC, 1756 114th Ave SE #110, Bellevue, WA 98004, US, US (Residence), US (Nationality), (For all designated states except: US)
Patent Applicant/Inventor:
TEGREENE Clarence T, 10629 NE 17th Street, Bellevue, WA 98004-2834, US, US (Residence), US (Nationality), (Designated only for: US)
Legal Representative:

COOK Dale R (agent), Searete LLC, 1756-114th Avenue SE #110, Bellevue, WA 98004, US,

Patent and Priority Information (Country, Number, Date):

Patent: WO 200599140 A2 20051020 (WO 0599140)

Application: WO 2005US10053 20050324 (PCT/WO US05010053)

Priority Application: US 2004816358 20040331; US 2004813967 20040331; US 2004816364 20040331; US 2004816375 20040331; US 2004816082 20040331; US 2004816102 20040331; US 2004814454 20040331

Designated States:

(All protection types applied unless otherwise stated - for applications 2004+)

AE AG AL AM AT AU AZ BA BB BG BR BW BY BZ CA CH CN CO CR CU CZ DE DK DM DZ EC EE EG ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NA NI NO NZ OM PG PH PL PT RO RU SC SD SE SG SK SL SM SY TJ TM TN TR TT TZ UA UG US UZ VC VN YU ZA ZM ZW

(EP) AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IS IT LT LU MC NL PL PT RO SE SI SK TR

(OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG

(AP) BW GH GM KE LS MW MZ NA SD SL SZ TZ UG ZM ZW

(EA) AM AZ BY KG KZ MD RU TJ TM

Publication Language: English

Filing Language: English

Fulltext Word Count: 10570

MOTE **NETWORKS USING** DIRECTIONAL ANTENNA **TECHNIQUES**

Fulltext Availability:

Detailed Description

Claims

English Abstract

A mote network having and/or using one or more **directional antennas** .

Detailed Description

Mote Networks Using **Directional Antenna** TeChniques

CROSS-REFERENCE TO RELATED APPLICATIONS

The present application is related to, claims the earliest...

...as inventors, filed substantially contemporaneously herewith.

6. United States patent application entitled Mote Networks Having **Directional Antennas** naming Clarence T. Tegreene as inventor, filed substantially contemporaneously herewith.

TECHNICAL FIELD

The present application...

...includes but is not limited to: adjusting a field of regard of a first-mote **directional antenna** ; monitoring one or more indicators of a received signal strength of the first- **mote directional antenna** signal; and determining a direction associated with a second **mote** in response to the monitored one or more indicators of the received signal strength of the first- **mote directional antenna** . In addition to the foregoing, other method aspects are described in the claims, drawings, and...

...mote method includes but is not limited to: adjusting a beam of a

second-mote **directional antenna** ; and transmitting a signal over the beam of the secondmote **directional antenna** . In addition to the foregoing, other method aspects are described in the claims, drawings, and...

...includes but is not limited to: adjusting a field of regard of a first-mote **directional antenna** in response to a direction associated with a second- **mote directional antenna** ; and at least one of transmitting a signal ftom the firstmote **directional antenna** or receiving a signal from the first- **mote directional antenna** . In addition to the foregoing, other method aspects are described in the claims, drawings, and...

...signal; and initiating at least one of said adjusting a beam of a second-mote **directional antenna** or said transmitting a signal over the beam of the second- **mote directional antenna** , in response to said detecting. In addition to the foregoing, other method aspects - 3 are...

...includes but is not limited to: adjusting a field of regard of a first-mote **directional antenna** in response to a direction associated with a second- **mote directional antenna** ; and at least one of transmitting a signal from the firstmote **directional antenna** or receiving a signal from the first- **mote directional antenna** . In addition to the foregoing, other method aspects are described in the claims, drawings, and...

...unit 204 may perform either or both detection and generation), antenna control unit 206, omni- **directional antenna** 218, and **directional antennas** 208, 209; the other components of **mote** 100 are also present in **mote** 200, but not explicitly shown for sake of clarity. The **directional antennas** described herein may be any suitable **directional antennas** consistent with the teakhings herein, such as beam-forming antennas, beam-steering antennas, switched-beam antennas, horn antennas, and/or adaptive **antennas** . Although **directional antennas** 208, 209 are illustrated as hom antennas, those skilled in the art will appreciate that **directional antennas** 208, 209 are representative of any suitable device consistent with the teachings herein, such as...

...antennas, hom antennas, and/or biconical antennas. The foregoing is also generally true for other **directional antennas** described herein. In addition, the inventor points out that in some implementations the antenna steering...

...antenna steering unit 252, antenna signal generation/detection unit 254, antenna control unit 256, onmidirectional **antenna** 268, and **directional antennas** 258, 259. The other components of **mote** 100 are also present in **mote** 250, but not explicitly shown for sake of clarity. The components of **mote** 250 function in fashions similar to like components described in relation to **mote** 200 and/or elsewhere herein.

Mote 270 is illustrated as similar to mote 100 of...

...steering unit 252, antenna signal generation/detection unit 274, antenna control unit 276, on-inidirectional **antenna** 278, and 9 **directional antennas** 288, 289. The other components of **mote** 100 are also present in **mote** 270, but not explicitly shown for sake of clarity. The

components of **mote** 270 function in fashions similar to like components described in relation to **mote** 200 and/or elsewhere herein.

Those skilled in the art will appreciate that there are various ways in which the **directional antennas** may be combined with the motes. In some implementations, semiconductor processing techniques are utilized to forin at least a part of each **mote** having one or more **directional antennas**. In some implementations, micro-electromechanical-system or electrooptical techniques are utilized to form or control at least a part of each **mote** having one or more **directional antennas**. In some implementations, circuit techniques and circuit board substrates are used to form at least a part of each **mote** having one or more **directional antennas**. In some implementations, various combinations of the herein described techniques are used to form at least a part of each **mote** having one or more **directional antennas**.

IL PROCESS(ES) AND/OR SCHEME(S)
Following are a series of flowcharts depicting implementations...

...process. Method step 302 depicts - 10 adjusting a field of regard of a first-mote **directional antenna**. Method stop 304 illustrates monitoring one or more indicators of received signal strength, signal-to-noise ratio, or other signal characteristic, of the first- **mote directional antenna**. Method step 306 shows determining a direction associated with a second **mote** in response to the monitored one or more indicators of the received signal strength of the first- **mote directional antenna**.

Method step 308 depicts adjusting the field of regard of the first-mote **directional antenna** to orient toward the determined direction associated with the second **mote**. Method step 3 10 depicts the end of the process. Specific example implementations of the...

...the first-mote directional ill likely operably align with a beam of a second-mote **directional antenna**. (By **antenna** wi
convention, "field of regard" is sometimes used herein when describing an example wherein an...

...control unit 256 directs antenna steering unit 252 to sweep a field of regard of **directional antenna** 258 at a rate likely to be different from that of a rate of sweep of a beam of another **directional antenna**. For example, **antenna** control units 206, 256 directing their respective antenna steering units 202, 252 to sweep their respective **directional antennas** 208, 258 at rates which are likely to be different. One implementation of the foregoing...

...control unit 206, 256 to direct their respective antenna steering units 202, 252 to rotate **directional antennas** 208, 258 for a time period long enough such that **directional antenna** 208 completes 360 total rotations.

- I I Referring now to Figure 5, illustrated is a...
...by a quasi-random amount from a nominal rate of rotation of the first-mote **directional antenna** and the second- **mote directional antenna**.

In one embodiment of method step 500, antemia control unit 256 directs antenna steering unit 252 to rotate a field of regard of **directional antenna** 258 at a rate of rotation varied by a quasi-random amount from a nominal rate of rotation shared by at least one other **mote** (as used herein, "nominal" generally means according to plan or design). For example, in one...

...logic to vary that recalled nominal rate of rotation by some amount to devise a **mote** 250 resultant rate of rotation (e.g., 360 degrees/unit-time). Thereafter, antenna control unit 256 directs antenna steering unit 252 to rotate **directional antenna** 258 at the **mote** 250 resultant rate of rotation. At or around the same time, antenna control unit 202 engages in a similar set of operations to devise a **mote** 200 rate of rotation. Insofar as that the **mote** 200 rate of rotation and the **mote** 250 rate of rotation were devised by quasi-random variations on substantially the same nominal rates of rotation, it is likely that the **mote** 200 rate of rotation will be different than the **mote** 250 rate of rotation. Hence, eventually the field of regard of **directional antenna** 208 will operably align with the beam of **directional antenna** 258 such that signals may be respectively received/transmitted between the **directional antennas**. In some implementations, the **directional antennas** are rotated for a pre-specified period of time. In some implementations, the **directional antennas** are rotated until either a strong signal is detected or a timeout occurs.

In one...

...608. Method step 608 shows selectively displacing at least a part of the first-mote **directional antenna**. In some implementations of method step 608, such as instances where **directional antenna** 258 is implemented with a horn antenna or a biconical antenna, antenna steering unit 252...

...step 302 includes method step 610. Method step 610 shows selectively tuning the first-mote **directional antenna** (e.g., via switchable tuning stubs). In some implementations of method step 61 0, such as instances where **directional** antenna 25 8 is implemented with a tunable antenna (e.g., antennas having tuning stubs), antenna...

...switches in and out the various tuning stubs to direct the field of regar4 of
directional antenna 2 5 8
Referring now to Figure 7, illustrated is a high-level logic flowchart...

...shows - 14 logging one or more indicators of the received signal strength of the first- **mote directional antenna**.

In one embodiment of method step 700, antenria control unit 256 directs antenna signal generation...step 1002 depicts determining a direction of the field of regard of the first-mote **directional antenna** associated with the substantially maximum signal power.

In one embodiment of method step 1000, antenna...

...of the process. Method step II 02 depicts adjusting a beam of a

second-mote **directional antenna** . Method step 1 104 illustrates transmitting a signal over the beam of the second- **mote directional antenna** . Method step 1106 depicts the end of the process. Specific example implementations of the more...

...method step 1200. Method step 1200 shows selectively forming the beam of the second-mote **directional antenna** .
In one embodiment of method step 1200, antenna control unit 206 directs antenna steering unit...

...method step 1202. Method step 1202 depicts selectively switching the beam of the second-mote **directional antenna** .

In some implementations of method step 1202, antenna control unit 206 directs antenna steering unit...

...includes method step 1204. Method step 1204 depicts selectively steeringthe beam of the second-mote **directional antenna** .

In some implementations of method step 1204, antenna control unit 206 directs antenna steering unit...

...method step 1206. Method step 1206 depicts selectively adapting the beam of the second-mote **directional antenna** .

In some implementations of method step 1206, antenna control unit 206 directs antenna steering unit 202 to selectively adapt one or more beams of **directional antenna** 208 such that a beam is moved across one or more angles. One example of the foregoing could include selectively adapting the beam of the second- **mote directional antenna** .

With reference again to Figures 3 and II, method step 302 of Figure 3, and...

...supporting text, show and/or describe adjusting a field of regard of a first-mote **directional antenna** . Method step II 02 of Figure I 1, and its supporting text, illustrate and/or describe adjusting a beam of a second- **mote directional antenna** (e.g., **directional** antenria 208 of **mote** 200).

Figures 4-6 show and/or describe several implementations of adjusting a field of regard of the first-mote **directional antenna** . The inventor points out that implementations substantially analogous to those shown for method step 302...

...herein will in general have a corresponding implementation by which the beam of a second- **mote directional antenna** is analogously adjusted. Those having skill in the art,will appreciate that insofar as that...

...1502 depicts initiating at least one of said adjusting a beam of a second-mote **directional antenna** and/or said transmitting a signal over the beam of the second- **mote directional antenna** in response to said detecting the initiation signal.

In one embodiment of method step 1500, antenna signal creneration/detection unit 204 detects an incoming pre-defined seek-mote-

antennas signal over **directional antenna** 208. Signal generation/detection unit 204 informs antenna control unit 206 that the seekmote-antennas...

...signal and/or communicates with antenna steering unit 252 to begin adjusting a beam of **directional antenna** 208 as described herein (e.g., by moving the beam in an arc or circle...

...the process. Method step 1602 depicts adjusting a field of regard of a first-mote **directional antenna** in response to a direction associated with a second- **mote directional antenna** . Method step 1604 illustrates - 20 transmitting a signal from the first- **mote directional** . **antenna** and/or receiving a signal from the first- **mote directional antenna** (e.g., transmitting the signal over a beam of the first- **mote directional antenna** and/or receiving the signal through a field of regard of the first- **mote directional antenna**). Method step 1606 depicts the end of the process.
Specific example implementations of the more...

...method step 1602 includes method step 1700. Method step 1700 shows localizing the second-mote **directional antenna** . Specific example implementations of the more general process implementations of Figure 17 are described following...

Claim
... 1 A mote method comprising:
ad usting a field of regard of a first-mote **directional antenna** ;
monitoring one or more indicators of a received signal strength of the first- **mote**
directional antenna ; and
determining a direction associated with a second **mote** in response to the
monitored one or more indicators of the received signal strength of the first- **mote directional antenna** .

2 The method of Claim 1, wherein said adjusting a field of regard of a first-mote
directional antenna further comprises:
moving the field of regard such that the field of regard of the first- **mote directional antenna** will likely operably align with a beam of a second- **mote directional antenna** .

3 The method of Claim 2, wherein said moving the field of regard such that the field of regard of the first-mote **directional antenna** will likely operably align with a beam
of a second- **mote directional antenna** further comprises:
rotating the field of regard at a rate of rotation varied by a quasi-random amount from a nominal rate of rotation of the first- **mote directional antenna** and the second- **mote directional antenna** .

4 The method of Claim 2, wherein said moving the field of regard such that the field of regard of the first-mote **directional antenna** will likely operably align with a beam
of a second- **mote** directional antenna further comprises:
moving the field of regard through at least two angles at a quasi...

...said moving the field of regard such that the field of regard of the first- **mote directional antenna** will likely operably align with a beam
of a second- **mote directional antenna** further comprises:
moving the field of regard for a quasi-randomly selected period of time
...

...method of Claim 1, wherein said adjusting a field of regard of a first-mote
directional antenna further comprises:
selectively varying one or more relative phases respectively associated with one or more...

...method of Claim 1, wherein said adjusting a field of regard of a first mote **directional antenna** further comprises:
selectively displacing at least a part of the first- **mote directional antenna** . I I - The method of Claim I 0, wherein said selectively displacing at least a part of
the first- **mote directional antenna** farther comprises:
selectively adjusting a feed of a hom antenna. - 27 . The method of Claim 1, wherein said adjusting a field of regard of a first
mote directional antenna further comprises:
selectively tuning the first- **mote** directional antemia.

13 The method of Claim 1, wherein said monitoring one or more indicators of a received signal strength of the first-mote **directional antenna** further comprises: logging one or more indicators of the received signal strength of the first- **mote directional antenna** .

14 The method of Claim 1, wherein said deten-nining a direction associated with a...

...the monitored one or more indicators of the received signal strength of the first-mote **directional antenna** further comprises:
selectively varying a reception frequency.

15 The method of Claim 14, wherein said...

...the monitored one or more indicators of the received signal strength of the first-mote **directional antenna** further comprises:
determining a substantially maximum signal power associated with a beacon-,
signal; and
determining a direction of the field of regard of the first- **mote directional antenna** associated with the substantially maximum signal power.

18 The method of Claim 1, further comprising:
- 28 adjusting the field of regard of the first-mote **directional antenna** to orient toward the deterinined direction associated with the second **mote** . - 29
. A **mote** system comprising:
means for adjusting a field of regard of a first- **mote directional antenna** ; means for monitoring one or more indicators of a received signal strength of@the
first- **mote directional antenna** ; and

means for determining a direction associated with a second **mote** in response to the monitored one or more indicators of the received signal strength of the first- **mote** directional anteniia. - 30

. A **mote** method comprising:

adjusting a beam of a second- **mote** **directional** **antenna** -, and

transmitting a signal over the beam of the second- **mote** **directional** **antenna** .

21 ThemethodofClaim2O,whereinsaidadjustingabeamofasecond-mote **directional** **antenna** further comprises:

selectively forming the beam of the second- **mote** **directional** **antenna** .

22 The method of Claim 20, wherein said adjusting a beam of a second-mote **directional** **antenna** further comprises:

selectively switching the beam of the second- **mote** **directional** **antenna** .

23 The method of Claim 20, wherein adjusting a beam of a second-mote directional anterma further comprises:

selectively steering the beam of the second-mote **directional** **antenna** .

24 The method of Claim 20, wherein said adjusting a beam of a second-mote ...

...The method of Claim 20, wherein said ad usting a beam of a second-mote **directional** **antenna** further comprises:

moving the beam such that the beam of the second- **mote** **directional** **antenna** will likely operably align with a field of regard of the first- **mote** **directional** **antenna** .

26 The method of Claim 25, wherein said moving the beam such that the beam of the second-mote **directional** antenna will likely operably align with a field of regard of

the first- **mote** **directional** **antenna** further comprises:

- 31 rotating the beam at a rate of rate of rotation varied by a quasi-random amount from a nominal rate of rotation of the second- **mote** **directional** **antenna** and the first- **mote** **directional** **antenna** .

27 The method of Claim 25, wherein said moving the beam such that the beam of the second-mote **directional** **antenna** will likely operably align with a field of regard of

the first- **mote** **directional** **antenna** further comprises:

moving the beam through at least two angles at a quasi-randornly selected ...

...Claim 25, wherein said moving the beam such that the beam of the second-mote **directional** **antenna** will likely operably align with a field of regard of

the first- **mote** **directional** **antenna** further comprises:

moving the beam for a' quasi-randomly selected period of time.

29 The...

...33 The method of Claim 20, wherein said adjusting a beam of a second-mote

directional **antenna** further comprises:

selectively displacing at least a part of the second- **mote directional antenna** .

34 The method of Claim 33, wherein said selectively displacing at least a part of
the second-mote **directional antenna** further comprises:
selectively adjusting a feed of a hom anteima.

35 The method of Claim 20, wherein said adjusting a beam of a second-mote **directional antenna** further comprises:
selectively tuning the second- **mote directional antenna** .

36 The method of Claim 20, wherein said transmitting a signal over the beam of
the second-mote **directional antenna** further comprises:
selectively varying a transmission frequency.

37 The method of Claim 36, wherein said...

...of Claim 20 wherein said transmitting a signal over the beam of
the second-mote **directional antenna** further comprises:
- 33
detecting an initiation signal; and
initiating at least one of said adjusting a beam of a second- **mote** directional
'd transmitti g a signal over the beam of the second- **mote** di ectional anterma or sal in ir
antenna, in response to said detecting. - 34
. A **mote** system comprising:
means for adjusting a beam of a second- **mote directional antenna** ; and
means for transmitting a signal over the beam of the second- **mote directional antenna** . - 35
. A **mote** method comprising:
adjusting a field of regard of a first- **mote directional antenna** in response to a
direction associated with a second- **mote directional antenna** ; and
at least one of transmitting a signal from the first- **mote directional antenna** or receiving a signal from the first- **mote directional antenna** .

42 The mote method of Claim 41, wherein said adjusting a field of regard of a first-mote **directional antenna** in response to a direction associated with a second- **mote**
directional antenna further comprises:
localizing the second- **mote directional antenna** .

43 The mote method of Claim 42, wherein said localizing the second-mote **directional antenna** further comprises:
adjusting a field of regard of a first- **mote directional antenna** ;
monitoring one or more indicators of a received signal strength of the first- **mote**
directional antenna signal; and
determining a direction associated with a second **mote** in response to the
monitored one or more indicators of the received signal strength.

44 The mote method of Claim 41, wherein said transmitting a signal from the
first-mote **directional antenna** further comprises:
transmitting the signal over a beam of the first- **mote directional antenna** .

45 The mote method of Claim 41, wherein said receiving a signal from the first
mote **directional antenna** further comprises:
receiving the signal through a field of regard of the first- **mote directional antenna** . - 36
. A **mote** system comprising:
means for adjusting a field of regard of a first- **mote directional antenna** in response to a direction associated with a second- **mote directional antenna** ; and at least one of means for transmitting a signal from the first- **mote directional antenna** or means for receiving a signal from the first- **mote directional antenna** . 37

3/3,K/13 (Item 11 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2007 WIPO/Thomson. All rts. reserv.

01288733 **Image available**
AGGREGATING MOTE-ASSOCIATED INDEX DATA
GROUPEMENT DE DONNEES D'INDEX ASSOCIES A DES MOTES
Patent Applicant/Assignee:
SEARETE LLC, 1756 114th Ave SE #110, Bellevue, WA 98004, US, US (Residence), US (Nationality), (For all designated states except: US)
Patent Applicant/Inventor:
JUNG Edward K Y, 13420 NE 36th Street, Bellevue, WA 98005-1403, US, US (Residence), US (Nationality), (Designated only for: US)
TEGREENE Clarence T, 10629 NE 17th Street, Bellevue, WA 98004-2834, US, US (Residence), US (Nationality), (Designated only for: US)
Legal Representative:
COOK Dale R (agent), Searete LLC, 1756-114th Avenue SE, #110, Bellevue, WA 98004, US,
Patent and Priority Information (Country, Number, Date):
Patent: WO 200594494 A2 20051013 (WO 0594494)
Application: WO 2005US9703 20050322 (PCT/WO US05009703)
Priority Application: US 2004816358 20040331; US 2004813967 20040331; US 2004816364 20040331; US 2004816375 20040331; US 2004816082 20040331; US 2004816102 20040331; US 2004814454 20040331
Designated States:
(All protection types applied unless otherwise stated - for applications 2004+)
AE AG AL AM AT AU AZ BA BB BG BR BW BY BZ CA CH CN CO CR CU CZ DE DK DM DZ EC EE EG ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NA NI NO NZ OM PG PH PL PT RO RU SC SD SE SG SK SL SM SY TJ TM TN TR TT TZ UA UG US UZ VC VN YU ZA ZM ZW
(EP) AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IS IT LT LU MC NL PL PT RO SE SI SK TR
(OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG
(AP) BW GH GM KE LS MW MZ NA SD SL SZ TZ UG ZM ZW

(EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 16751

Fulltext Availability:
Detailed Description

Detailed Description
... HAVING
DIRECTIONALANTENNAS,nan-iingClarenceT.Tegreeneasinventor,
filed substantially contemporaneously herewith.

6. United States patent application entitled **MOTE** NETWORKS USING **DIRECTIONAL ANTENNA** TECHNIQUES, naming Clarence T.

Tegreene as inventor, filed substantially contemporaneously herewith.

TECHNICAL FIELD
The present...

3/3,K/14 (Item 12 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2007 WIPO/Thomson. All rts. reserv.

00371478
METHOD FOR THE IDENTIFICATION AND THERAPEUTIC USE OF DISEASE-ASSOCIATED ORGANISMS, ELEMENTS AND FORCES
PROCEDE D'IDENTIFICATION ET D'UTILISATION THERAPEUTIQUE D'ORGANISMES, D'ELEMENTS ET DE FORCES ASSOCIES A UNE MALADIE
Patent Applicant/Assignee:
CHACHOUA Samir,
Inventor(s):
CHACHOUA Samir,
Patent and Priority Information (Country, Number, Date):
Patent: WO 9712220 A2 19970403
Application: WO 96IB1006 19960913 (PCT/WO IB9601006)
Priority Application: US 953686 19950915
Designated States:
(Protection type is "patent" unless otherwise stated - for applications prior to 2004)
AL AM AU BB BG BR CA CN CU CZ EE FI GE HU IS JP KE KG KP KR LK LR LT LV MD MG MK MN MW MX NO NZ PL RO SG SI SK TR TT UA UZ VN KE LS MW SD SZ UG AM AZ BY KG KZ MD RU TJ TM AT BE CH DE DK ES FI FR GB GR IE IT LU MC NL PT SE BF BJ CF CG CI CM GA GN ML MR NE SN TD TG
Publication Language: English
Fulltext Word Count: 267093

Fulltext Availability:
Claims

Claim
... causc of them increases in cancer. Protection may be provided by tha
&sign of a **directional** or, shielded **antennae** . Shielding may be

itibuilt within the communicatiorw device, or added to pre-exisbag equipment or...

...or other device placed between the ClWator and the device. :It may also take the **mote** complex form of a Faraday cage mwerunding the antenm with only certain exit points allowed...
?

BUSINESS FULLTEXT

File 9:Business & Industry(R) Jul/1994-2007/Apr 04
(c) 2007 The Gale Group
File 15:ABI/Inform(R) 1971-2007/Apr 05
(c) 2007 ProQuest Info&Learning
File 16:Gale Group PROMT(R) 1990-2007/Apr 04
(c) 2007 The Gale Group
File 20:Dialog Global Reporter 1997-2007/Apr 05
(c) 2007 Dialog
File 47:Gale Group Magazine DB(TM) 1959-2007/Mar 27
(c) 2007 The Gale group
File 75:TGG Management Contents(R) 86-2007/Mar W4
(c) 2007 The Gale Group
File 80:TGG Aerospace/Def.Mkts(R) 1982-2007/Apr 04
(c) 2007 The Gale Group
File 88:Gale Group Business A.R.T.S. 1976-2007/Mar 23
(c) 2007 The Gale Group
File 98:General Sci Abs 1984-2007/Apr
(c) 2007 The HW Wilson Co.
File 112:UBM Industry News 1998-2004/Jan 27
(c) 2004 United Business Media
File 141:Readers Guide 1983-2007/Feb
(c) 2007 The HW Wilson Co
File 148:Gale Group Trade & Industry DB 1976-2007/Mar 27
(c)2007 The Gale Group
File 160:Gale Group PROMT(R) 1972-1989
(c) 1999 The Gale Group
File 275:Gale Group Computer DB(TM) 1983-2007/Apr 03
(c) 2007 The Gale Group
File 264:DIALOG Defense Newsletters 1989-2007/Apr 04
(c) 2007 Dialog
File 369:New Scientist 1994-2007/Nov W4
(c) 2007 Reed Business Information Ltd.
File 370:Science 1996-1999/Jul W3
(c) 1999 AAAS
File 484:Periodical Abs Plustext 1986-2007/Apr W1
(c) 2007 ProQuest
File 553:Wilson Bus. Abs. 1982-2007/Apr
(c) 2007 The HW Wilson Co
File 570:Gale Group MARS(R) 1984-2007/Apr 04
(c) 2007 The Gale Group
File 608:KR/T Bus.News. 1992-2007/Apr 05
(c)2007 Knight Ridder/Tribune Bus News
File 620:EIU:Viewswire 2007/Apr 04

(c) 2007 Economist Intelligence Unit
File 613:PR Newswire 1999-2007/Apr 05
(c) 2007 PR Newswire Association Inc
File 621:Gale Group New Prod.Annou.(R) 1985-2007/Apr 04
(c) 2007 The Gale Group
File 623:Business Week 1985-2007/Apr 04
(c) 2007 The McGraw-Hill Companies Inc
File 624:McGraw-Hill Publications 1985-2007/Apr 04
(c) 2007 McGraw-Hill Co. Inc
File 634:San Jose Mercury Jun 1985-2007/Apr 04
(c) 2007 San Jose Mercury News
File 635:Business Dateline(R) 1985-2007/Apr 05
(c) 2007 ProQuest Info&Learning
File 636:Gale Group Newsletter DB(TM) 1987-2007/Apr 04
(c) 2007 The Gale Group
File 647:CMP Computer Fulltext 1988-2007/Jun W3
(c) 2007 CMP Media, LLC
File 696:DIALOG Telecom. Newsletters 1995-2007/Apr 05
(c) 2007 Dialog
File 674:Computer News Fulltext 1989-2006/Sep W1
(c) 2006 IDG Communications
File 810:Business Wire 1986-1999/Feb 28
(c) 1999 Business Wire
File 813:PR Newswire 1987-1999/Apr 30
(c) 1999 PR Newswire Association Inc
File 587:Jane's Defense&Aerospace 2007/Apr W1
(c) 2007 Jane's Information Group

Set Items Description
--- ----- ----------
? s mote
S1 13235 MOTE
S2 6185 DIRECTIONAL(3N)ANTENNA?
S3 1 S1(S)S2
? t3/3,k/all

3/3,K/1 (Item 1 from file: 88)
DIALOG(R)File 88:Gale Group Business A.R.T.S.
(c) 2007 The Gale Group. All rts. reserv.

07872329 SUPPLIER NUMBER: 154866693
Topology insensitive location determination using independent estimates through semi-directional antennas.(Author abstract)
Yang, Chin-Lung; Bagchi, Saurabh; Chappell, William J.
IEEE Transactions on Antennas and Propagation, 54, 11, 3458(15)
Nov, 2006
DOCUMENT TYPE: Author abstract ISSN: 0018-926X LANGUAGE: English
RECORD TYPE: Abstract

...AUTHOR ABSTRACT: network. A method of determining the location of a target by using multiple compact semi- **directional antennas** is shown to give an independent estimate of location from each sensor **mote** in a network, each estimate not relying on the data from neighboring motes as in
...

...traditional triangulation. We begin by demonstrating a method of using

angular diversity through multiple semi- **directional antennas** in order to ascertain the location of a target. The estimation of both range and...

...a noisy and/or faded channel. An efficient and fast algorithm on a wireless sensor **mote** is presented through a Taylor series expansion of the simulated antenna pattern. Furthermore, using the...
?